


support@newstartgear.com













#### **FEATURE:**

- Flange shaft output with roller bearings heavy radial load capacity
  With helical gears
  Low noise level



#### **FEATURE:**

- Flange shaft output with roller bearings heavy radial load capacity
- With helical gears
- Low noise level
- Compact mounting ways to wheels




#### **FEATURE:**


- Low noise level
- Can take heavy radial force
- Low price to save cost



support@newstartgear.com

NSQ SERIES











- Big Radial load capacit
- Compact design to save space
- Low Noise Level(≤60dB)
- Wheels removable, easy Maintenance
- Shafts for brake or encoder available at output side



NTS90L1-15/6




NTS90L2-18/24/30/48/60




- 1. Flange shaft output with Roller bearings
- 2. Big Radial load capacity
- 3. Low Noise Level(≤60dB)
- 4. Hypoid gears with Compact size






- 1. Big Radial load capacity
- Compact structure, integrated with rubber wheels, and small installation

#### NT SERIES




- 1. Parallel axis+planetary deceleration, compact space
- 2. Low noise
- 3. Big Radial load capacit



#### **Features:**

- . Cylindrical roller bearing at output, large radial load
- 2. Low noise
- Easy installation, can be used as differential steering wheel





- 1. Compact
- 2. Low Noise
- 3. Large radial load capacity



# **AGV STEERING**





# **AGV LIFTING**

